Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	30	dongle with USB and @ad<="20021008"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/17 13:42
L2	2	"6571221".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/17 13:42
S1 :	24	((serial adj number) or identif\$ or id) with decrypt\$ with key with challenge and @ad<="20021008"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/12 11:22
S2	69	mutual\$ near3 authenticat\$ and challenge with (id or identif\$ or (serial adj number)) and @ad<="20021008"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/12 11:23
S3	40	mutual\$ near3 authenticat\$ and challenge with (id or identif\$ or (serial adj number)) with key and @ad<="20021008"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/12 11:47
S4	13	mutual\$ near3 authenticat\$ and challenge with (id or identif\$ or (serial adj number)) with random and @ad<="20021008"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/12 11:24
\$5 	11	S4 not S1	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/12 11:24
S6	, 38	S3 not S1	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/12 11:47
S7	32	S6 not S4	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/12 11:50
S8	16	encrypt\$ adj random with (id or identif\$ or (serial adj number)) with (generat\$ or deriv\$) with key and @ad<="20021008"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/12 12:20
S9	27	establish\$ near3 key with random with encrypt\$ and @ad<="20021008"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/12 12:23
S10	0	establish\$ near3 key with random with encrypt\$ with (id or identif\$) and @ad<="20021008"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/12 12:23

S11	383	key with random with encrypt\$ with (id or identif\$) and @ad<="20021008"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/12 12:23
512	106	key with random near2 encrypt\$ with (id or identif\$) and @ad<="20021008"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/12 12:23
S13	17	key with random near2 encrypt\$ with (id or identif\$) with authenticat\$ and @ad<="20021008"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/12 13:12
S15	28	random near2 encrypt\$ with (id or identif\$) with authenticat\$ and @ad<="20021008"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/12 13:14
S16	3	access adj point with authenticat\$ with random with (id or identif\$ or (serial adj number)) and @ad<="20021008"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/12 13:26
S17	0	compar\$ with challenge with client with decrypt\$ adj random and @ad<="200210008"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/12 16:23
S18	0	compar\$ with challenge with client with decrypt\$ with random and @ad<="200210008"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/12 16:23
S19	2	compar\$ with challenge with decrypt\$ near2 random and @ad<="200210008"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/12 16:30
S20	19	challenge near response with access adj point and @ad<="200210008"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/12 16:30
S21	2	compar\$ near2 \$crypt\$ near2 random with challenge and @ad<="20021008"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/12 16:49
S22	2	challenge near response and challenge near2 encrypt\$ near2 random adj number with (id or identif\$ or (serial adj number)) and @ad<="20021008"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/12 17:02
S23	. 3	challenge near2 encrypt\$ near2 random adj number with (id or identif\$ or (serial adj number)) and @ad<="20021008"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/12 17:02

		, 				
S24	8	challenge near2 encrypt\$ near2 random adj number and @ad<="20021008"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/12 17:03
S25	30	challenge with encrypt\$ near2 random adj number and @ad<="20021008"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/12 17:03
S26	7	challenge near response with encrypt\$ adj random and @ad<="20021008"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR ·	OFF	2004/11/16 11:18
S27	172	(prover or client) near2 challenge and @ad<="20021008"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/16 11:24
S28	5	(prover or client) near2 challenge near2 (id or identif\$) and @ad<="20021008"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/16 11:25
S29	. 254	private adj key with challenge and @aD<="20021008"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/16 11:40
530	20	public adj key near3 random with challenge and @aD<="20021008"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/16 11:42
S31	19	symmetric with asymmetric with challenge and @aD<="20021008"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/16 11:46
S32	1	(retriev\$ or obtain\$) near2 (private or secret) adj2 key with (id or identif\$) with challenge and @aD<="20021008"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/16 11:54
S33	1	(retriev\$ or obtain\$ or associat\$) near2 (private or secret) adj2 key with (id or identif\$) with challenge and @aD<="20021008"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/16 11:54
534	7	(retriev\$ or obtain\$ or associat\$) near2 (private or secret) adj2 key with (id or identif\$ or (public adj key)) with challenge and @aD<="20021008"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/16 12:01
S35	199	· 713/169.ccls. and @aD<="20021008"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/16 12:01

S36	3	CSE and windless with access add	LIC DCDLID.	Lon	OFF	2004/44/45 42:02
536	2	S35 and wireless with access adj point	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/16 12:03
537	17	S35 and challenge.ab.	US-PGPUB;	OR	OFF	2004/11/16 12:08
			USPAT; EPO; JPO; DERWENT			
S38	1	(id or identif\$) near2 \$random near2 challenge near5 (transmit\$ or send\$) and @ad<="20021008"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/16 12:13
S39	115	router near2 authenticat\$ and @ad<="20021008"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/16 12:13
S40	2	router near2 authenticat\$ with challenge and @ad<="20021008"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/16 12:14
S41	·59 :	S35 and challenge	US-PGPUB; USPAT; EPO; JPO;	OR ·	OFF	2004/11/16 12:29
. : 'Y	. :		DERWENT			
S42	170	challenge adj response.ab. and @ad<="20021008"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/16 12:30
S43	10	S42 and wireless adj network	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/16 12:30
S44	13	prover near2 challenge and @aD<="20021008"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/16 12:49
S45	0	encrypted adj random near4 (id or identif\$ or (public adj key)) with challenge and @ad<="20021008"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/16 14:03
S46	156	encrypt\$ adj random near4 (id or identif\$ or (public adj key)) and @ad<="20021008"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/16 14:04
S47	. 6	encrypt\$ adj random near4 (id or identif\$ or (public adj key)) with authenticat\$ and @ad<="20021008"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/16 16:16

	T	<u> </u>			,	
S48	16	encrypt\$ near2 random adj number with authenticat\$.ab. and @ad<="20021008"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/16 16:24
S49	. 100	encrypt\$ near2 random adj number with authenticat\$ and @ad<="20021008"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/16 16:24
S50	6	encrypt\$ near2 random adj number with authenticat\$ and private adj key with (id or identif\$) and @ad<="20021008"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/16 16:27
S51	63	retriev\$ with private adj key with (id or identif\$) and @ad<="20021008"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/16 16:27
S52	9	retriev\$ with private adj key with database with (id or identif\$) and @ad<="20021008"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/16 16:30
S53	1	(private or secret) near2 key with database with (id or identif\$) with challenge and @ad<="20021008"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/16 16:32
S54	4	(private or secret) near2 key with (database or storage) with (id or identif\$) with challenge and @ad<="20021008"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/16 16:46
S55	3	S54 not S53	US-PGPUB; USPAT; EPO; JPO;	OR	OFF	2004/11/16 16:33
•			DERWENT			* * * * * * * * * * * * * * * * * * * *
S56	4	shin adj hon	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/16 16:34
S57	53	nachenberg.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/16 16:34
S58	15	nachenberg-carey.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/16 16:35
S59	6	private adj key near2 random with challenge and @aD<="20021008"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR .	OFF	2004/11/16 16:41

S60	285	(private or secret) near2 key with (database or storage) with (id or identif\$) and @ad<="20021008"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/16 16:46
S61	133	(private or secret) near2 key with (database) with (id or identif\$) and @ad<="20021008"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF _	2004/11/16 16:47
S62	20	(private or secret) near2 key with (database) with (id or identif\$) with authenticat\$ and @ad<="20021008"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/16 16:47
S63	6	(compar\$ or match\$) near2 decrypt\$ near random with authenticat\$ and @ad<="20021008"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/16 17:07
S64	21	(compar\$ or match\$) near2 decrypt\$ near random and @ad<="20021008"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/16 17:07
S65	15	S64 not S63	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/16 17:07
S66	18	wireless with network with router with authenticat\$ and @aD<="20021008"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/16 17:15
S67	107	wireless with access with point with authenticat\$ and @aD<="20021008"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/16 17:15
S68	68	S67 and (id or identif\$ or (serial adj number))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/16 17:15
S69	39	S67 and (id or identif\$ or (serial adj number)) with authenticat\$	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/16 17:43
S70	51	access adj point with authenticat\$ and challenge and @ad<="20021008"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/16 17:45
\$71	25	access adj point with authenticat\$ and challenge adj response and @ad<="20021008"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/16 17:45

S72	39	access adj point with authenticat\$ and challenge with response and @ad<="20021008".	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/16 17:45
S73	8	retriev\$ near2 (private or secret) adj key near5 database with (user or id or identif\$) and @ad<="20021008"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/17 09:38